

√Q VirtuQuartz

03 n u

03 | A NEW UNITY

08 | n | u TECHNOLOGY

HEALTH 10

NSF | 10

14 CRAFTSMANSHIP

nu space 16

32 collections

I 34 WHITE

1 36 CREAM / GREY

I 38 BLACK

BESPOKE 40

44 PROPERTIES

√Q VirtuQuartz









In 1923, the founder of Bauhaus, Walter Gropius issued a new motto -

Art And Technology – A New Unity

After a hundred years, his influence continues.

"n | u", the top performance line of VQ's products, is inspired from Walter Gropius. It comprises Quartz, Compound Stone and Terrazzo. n | u explores every possibility and pursues perfection in the crafting of engineered stone.

With ingenuity and perseverance in quality, **n | u** is your trusted partner for design of desires.

Virtu Quartz



VQ is one of the largest manufacturers in the industry. We provide one-stopped service for supplying our products from factory to end users directly.

With humility and curiosity, **VQ** never stops collaborating with architects, designers, artists, engineers, and craftsmen. With first-hand information and advanced technique, **VQ** is competent to translate the authentic ideas of the designers into reality.

After years of hard work, **VQ** proudly introduces **n | u** series to meet all leading designers' need.





Durable



Stain Resistant



Low Water Absorption



Abrasion Resistant



Health Assurance



Freeze Resistant



Dimension Stability



Eco Friendly



Heat Resistant







HEALTH

NSF IS YOUR CHOICE OF FOOD SAFETY

"NSF certification is your key to making sure that the products you use meet strict standards for public health protection."

n | u product has been awarded with NSF certification, protecting your family from any harm and meeting your need for food safety.





Gems Not Germ

A Good Companion for Kitchen of Our Next Generation

The eco-friendly nature of n | u product provides high density and non-porous surface which is stain resistan and grout free. It minimizes maintenance and more essentially, bacterial growth

CRAFTSMANSHIP

SURFACING TECHNIQUE

Customers may find blemishes on many usual engineered stone in the market, such as streaks, dullness, scuffs, pits and colour contaminants. It is more obvious on engineered stone with polish finish and viewing under light source. However this worry is no longer necessary.

n | u product is treated with exceptional surfacing technique, making its surface as sheeny as a natural stone, it is a no match in the industry.











NU101 CRISTALLO





NU102 INCHIOSTRO

NU103 CARRARA





NU209 CORCHIA

Inspired by the natural Arabescato Corchia stone, **VQ** crafts a unique style compound stone that is ideal for classy and elegant spaces.

The aesthetic of the silver veins dispersed on pristine white surface, together with **VQ's** unique craftsmanship that outperforms others by its outstanding polish, reflective and charismatic appearance.



ARABESCATO NU203










TERRAZZO IS MOVING OUT FROM THE FLOOR


Once popular in use for flooring, terrazzo is widely applied to wall and countertop nowadays.


Such a contemporary reengineering of a traditional materials adds punchy colour to the space and makes it more stylish and mesmerizing.





























ENJOY YOUR DESIGN
WE MAKE IT SIMPLE FOR YOU

PERFORMANCE DATA*

Property	Unit	Result	Standard
Water Absorption		0.05%	ASTM C97/C97M-09
Flexural Strength	Мра	50	ASTM C580-98
Flexural Strength (Dry)	Мра	40.95	ASTM C880/C880M-09
Flexural Strength (Wet)	Мра	45.05	ASTM C880/C880M-09
Compressive Strength (Dry)	Мра	127	ASTM C170/C170M-09
Compressive Strength (Wet)	Мра	125	ASTM C170/C170M-09
Abrasion Resistance	Мра	49.38	ASTM C241/C241M-09
Modulus of Rupture (Dry)	Мра	40.50	ASTM C99/C99M-09
Modulus of Rupture (Wet)	Мра	40.76 ASTM C99/C99M-09	


^{*} Above data comes from VQ Quartz product. Performance data for other VQ products may vary, please consult local VQ representative for detail information.

DIMENSIONS AND WEIGHT

Stone Type	Length (L)	Width (W)	Thickness (T)	Weight
Quartz	3200 mm	1600 mm	15, 20 mm	40, 53.5 kg / s.m.
Compound	2700 mm	1800 mm	14, 18 mm	38, 48.5 kg / s.m.
Terrazzo	2700 mm	1800 mm	18 mm	48.5 kg / s.m.

FINISHES





APPLICATIONS

KITCHEN

BATHROOM

COUNTERTOP

BAR TOP

TABLE TOP

WALL

DISPLAY

LARGE FORMAT


(up to 3,200 mm x 1,600 mm)


Thanks to the large format size, **u | n** extends your design dimensions exponentially.

CERTIFICATES









Inspire & Be Inspired We Craft Your Masterpiece



USA Headquarters

1315 John Reed Court, City of Industry, CA 91745, USA

T: +1 - 800 - 878 1574

E: info@virtuquartz.com

VQ HOUSE (HK)

Unit 02 10/F, 383 King's Road,
North Point, Hong Kong
香港北角英皇道 3 8 3 號 10 樓 02 室
T: +852 - 3102 1540 F: +852 - 3102 1544

E: admin@virtuquartz.com.hk